

2nd International ecoinvent Meeting Lausanne, March 14, 2008

metals:

## Gold & Silver

Sybille Büsser<sup>1</sup>, Mischa Classen<sup>2</sup>, Matthias Tuchschmid<sup>1</sup>, Mireille Faist Emmenegger<sup>1</sup>, Wolfram Scharnhorst<sup>2</sup> <sup>1</sup>ESU-services Ltd., Uster, Switzerland <sup>2</sup>EMPA, Dübendorf, Switzerland



Swiss Centre For Life Cycle Inventories

A joint initiative of the ETH domain and Swiss Federal Offices





### Agenda

- Overview global gold and silver production
- Structure of the datasets
- Gold mining in Peru
- Secondary gold production
- Key figures

3

Comparison of different datasets



Swiss Centre For Life Cycle Inventories

A joint initiative of the ETH domain and Swiss Federal Offices



Sybille Büsser





## Modelling and Data Sources

- Economic allocation (metal multi-output processes)
- Primary Gold and Silver:
  - Mining infrastructure
  - Mining
  - Refining
- Data for primary metal production and are based on environmental reports
- Data for secondary metal production and silver from copper and lead production are based on industry and literature data



For Life Cycle Inventories

A joint initiative of the ETH domain and Swiss Federal Offices





econvent





7

#### Secondary Gold

Pyrometallurgical recovery of electronic scrap •



ecoinvent

Swiss Centre For Life Cycle Inventories

9

Secondary Gold



# Key figures

Gold	Unit	Primary	Sec	ondary	Swiss Ce For Life Inventor A joint initial ETH domain a Federal Offic	
Electricity	kWh/kg	3'264 - 32'60	)3	19.3		
Fossil Fuels	MJ/kg	76 - 262'72	29	2.6		
Diesel (building machines)	MJ/kg	3'386 - 152'20	00			
Concentration	g/t	0.2 - 7	.5	490		
Silver	Unit	From combined s-g	From lead	From copper	Secondary	
Electricity	kWh/kg	54 - 559	1.5	6.6	0.33	
Fossil Fuels	MJ/kg	1 - 6'345	0.2		0.04	
Diesel (building machines)	MJ/kg	58 - 3'676				

0.5 - 41.6

g/t

11

Key figures

Concentration



econvent

ETH **PA** -FEI-**BIMPA** 

🚼 ART

5'600

econvent

Sybille Büsser



## Conclusion

- Datasets are meant to be used as background datasets
- Best practices for gold mining  $\rightarrow$  underestimation
- Good data quality with respect to energy, cyanide and explosive consumption
- Data for water/air emissions are based on older environmental reports
- Differences between countries → based on technologies, head grade and assumptions made for emissions



Swiss Centre For Life Cycle Inventories

A joint initiative of the ETH domain and Swiss Federal Offices



